

From: [REDACTED] <[REDACTED]@jstor.org>
Sent: Tuesday, October 12, 2010 11:48 AM
To: [REDACTED] <[REDACTED]@ithaka.org>
Subject: [JIRA] Commented: (OPS-1845) Restore MIT IP Addresses

[[http://\[REDACTED\]](http://[REDACTED])]

[REDACTED] commented on OPS-1845:

Given that [REDACTED] is disabled, and the MIT source address group is confining MIT to this disabled VIP, I suspect that MIT is receiving no DNS responses for www.jstor.org at all.

Enabling [REDACTED] would put other innocent victims onto the single princeton server as well, so that doesn't seem like a very good option.

I could do any of these things:

1. put all of MIT back into the main pool with everyone else.
2. confine MIT to princeton with a more carefully thought out method that requires a lot more configuration.
3. change the [REDACTED]-confined source pool to be only the narrow 18.55.5.0/24 instead of the broad 18.0.0.0/8 (meaning that only this narrow network won't get DNS response, instead of all of MIT getting no response).

> Restore MIT IP Addresses

> -----

>

> Key: OPS-1845

> URL: [http://\[REDACTED\]](http://[REDACTED])

> Project: Operations

> Issue Type: Task

> Reporter: [REDACTED]

> Assignee: [REDACTED]

> Priority: Urgent

>

> [REDACTED] is asking that the MIT range be restored. [REDACTED] asked that we take a metered approach and ease them back in if we can. I realize the whole Class A range is blocked at the firewall, but if we could enable the IPs not involved in this latest incident (aka, leave the Class C range suspended) that would be ideal in my estimation. Please advise.

--

This message is automatically generated by JIRA.

-

If you think it was sent incorrectly contact one of the administrators:

[http://\[REDACTED\]](http://[REDACTED])

-

For more information on JIRA, see: <http://www.atlassian.com/software/jira>